

SHUTDOWN® PROVIDES ENHANCED PRE-EMERGENCE CONTROL OF TOUGH BROADLEAF WEEDS IN SOYBEANS.



SHUTDOWN® Herbicide is a pre-emergent that controls hard-to-kill broadleaf and sedge weeds in soybeans and other crops. A Group 14 herbicide, SHUTDOWN is an excellent tank-mix partner to other pre-emergence herbicides for managing herbicide resistance in labeled crops. SHUTDOWN features a high-quality formulation and a higher loading rate of sulfentrazone than the industry standard.

ACTIVE INGREDIENTS

Sulfentrazone

FEATURES & BENEFITS

- Pre-emergence herbicide for use in GMO and non-GMO soybeans
- Excellent residual control of tough broadleaf weeds, grasses and sedges
- Higher active ingredient loading than the industry standard
- Tank-mix flexibility for resistance management programs
- High-quality suspension concentrate (SC) formulation
- CAUTION signal word
- HRAC Group 14

KEY BROADLEAF WEEDS CONTROLLED

| | |
|------------------|-----------------|
| Amaranth species | Nightshades |
| Kochia | Russian thistle |
| Morning glory | Waterhemp |

KEY GRASS WEEDS CONTROLLED

| | |
|---------------------------|---------------|
| Crabgrass (large, smooth) | Panicum, fall |
| Cupgrass (woolly) | Stinkgrass |
| Goosegrass | Witchgrass |

See label for full list of broadleaves, grasses and sedges controlled.



USAGE RATES, GUIDELINES AND CONSIDERATIONS

USE GUIDELINES

Tillage Systems Use in no-till, reduced, conservation, and conventional tillage systems. For no-till, reduced and conservation tillage systems, use an appropriate, effective burndown herbicide such as INTERLINE® Herbicide or other appropriate, effective burndown tank-mix partner.

Use Rates Soybeans: 4.5–11.8 fl. oz/A (see label for specific soil texture and organic matter rate recommendations). Do not use on soils classified as sand, which have less than 1% organic matter.

Application Method Apply fall, spring early pre-plant, pre-emergence, pre-plant incorporated. For pre-plant incorporated application, no deeper than 2 inches.

Application Timing Pre-plant up to 3 days after planting.

Application Volume Apply minimum 10 gal/A of water for ground applications and 5 gal/A of water for aerial applications.

Maximum Seasonal Rate Do not apply more than 11.8 fl oz/A (0.38 lbs ai/A) of SHUTDOWN Herbicide per acre per twelve-month period through any combination of applications. Twelve-month period is considered to begin upon the initial SHUTDOWN Herbicide application.

See label for full listings of crops, pests and use rates.

USE CONSIDERATIONS & FLEXIBILITY

- Pre-emergence herbicide in GMO & non-GMO soybeans
- As a “spike” soybean pre-emergence tank-mix partner to MOCCASIN® II PLUS, MOCCASIN MTZ, SATELLITE® HYDROCAP, TRICOR®, TRIPZIN® or other pre-emergence herbicides for an additional effective MOA to manage herbicide resistance in labeled crops
- Combine with INTERLINE herbicide for residual plus burndown control of weeds in wheat stubble ahead of double-crop soybeans

CROP ROTATIONAL RESTRICTIONS

| | |
|------------------------|---|
| No restrictions | Asparagus, berries, grapes, horseradish, mint, rhubarb, soybeans, strawberry, sugarcane, sunflower — Group 20B, tobacco, tomato, tree fruits, turf |
| 4 months | Barley, rye, triticale, wheat |
| 10 months | Corn (field), rice, sorghum |
| 12 months | Alfalfa, cereal grains (buckwheat, oats, pearl millet, proso millet, teosinte, wild rice), sweet potatoes, all other crops not listed on SHUTDOWN label |
| 18 months | Corn (pop, sweet), cotton |
| 36 months | Sugar beets |

To learn more about SHUTDOWN, talk to your local UPL representative or retailer, call **1-866-761-9397** or visit **www.upl-ltd.com/us**.



Always read and follow label directions. UPL, the UPL logo, OpenAg and all products are trademarks of a UPL Corporation Limited Group Company. ©2020 UPL Corporation Limited Group Company. RCHRB-2032H.